

Samariu Situasaun Epoka Primeiru ba aihoris batar no haré




ALGIS Departament



MINISTÉRIO DA
AGRICULTURA
E PISCAS



Kondisaun Vejetasaun Aihoris durante Primeiru Epoka Iha Timor-Leste




Konklusaun

- Area balu iha munisipiu Manatuto, Baucau, Viqueque, parte sul Covalima no munisipiu Ainaro udan hahu tarde no kondisaun vejetasaun ladun normal.
- Atividade Vejetasaun hahu normal iha dekada dahuluk no daruak in Dezembro. Iha fulan Janeiru udan been ladun Barak no notifika hahu melhora signifikante iha fim do Janeiru no inisiu fulan Febreiru 2019


Kondisaun Batar no Haré iha dekada dahuluk nia rohan iha fulan Febreiru 2019

Batar

Hare




% area nebe afeta husi menus be'e [% of area affected by drought]




Kondisaun Batar no Haré iha dekada dahuluk nia rohan iha fulan Febreiru 2019


Batar



Hare



Kategoria menus be'e [Drought Categories]



Konklusaun

- Kondisaun klima durante epoka primeiru 2018/2019 favoravel ba dezvoltamentu aihoris batar no haré
- Iha suco tolu (3) hatudu liu 55% area kultivasaun haré afeita husi menus be'e no iha suco ida deit ba area kultivasaun batar.
- Livre husi previsaun El Niño, epoka primeiru dezvoltamentu iha kondisaun klima ne'ebé diak.
- Monitorizasaun durante kultivasaun epoka daruak rekomenda iha potencialidade senariu El Niño.